

TWINFIX®

Data Sheet

Post Protectors

Post Protectors are designed to provide enhanced safety in environments where structural posts present a potential hazard. These robust and highly visible protectors are constructed using combustion modified polyether foam, ensuring durability and impact resistance.

Sizes Available

- Height: 148cm
- Thickness 50mm

Other custom sizes available upon request



Material Specifications

- Foam Type: RX33190 Richguard Extra
- Combustion Modified Polyether Foam
- Average Net Piece Density: 33 kg/m³ (±5%)
- Nominal Hardness: 190 N (±15%)
- Tensile Strength: 50 kPa (min)
- Elongation at Break: 90% (min)
- 75% Dry Compression Set: 12% (max)
- Flammability Performance: Pass (BS5852: Part 2: 1982: Crib V)
- Fatigue Classification: A (BS3379: 2005)

Colour Availability

The post protectors are available in a range of high-visibility colours to suit your safety requirements. Custom colours may be available upon request.



Black



White



Mid Blue



Royal Blue



Purple



Red



Pink



Orange



Yellow



Lime



Light Green



Dark Green



Light Grey



Dark Grey

Durability

Our post protectors use high-quality, durable foam that maintains performance over time. The foam complies with the Furniture and Furnishings (Fire) (Safety) Regulations 1988 (SI 1324) Schedule 1 Part 1 (Amended 1989, 1993 & 2010).

Installation

Simple to install and secure around the posts with velcro edges. Minimal maintenance required.

Guarantee

All post protectors come with a 5-year warranty covering material defects and performance under normal usage conditions.



TWINFIX[®]

Twinfix Limited
201 Cavendish Place,
Birchwood Park,
Birchwood, Warrington,
WA3 6WU

Tel: 01925 811311
enquiries@twinfix.co.uk
www.twinfix.co.uk
Registered in England. Company Number: 2457221

